



Easyret® is a fully integrated 577nm yellow Easyret® is a fully integrated 577nm yellow photocoagulator based on a technological breakthrough: fiber laser technology. Available with Zeiss or Haag Streit type slit lamps, it offers a large choice of treatment settings well adapted to the treatment of macular and peripheral retinal pathologies.

eas/ret

Easyret[®]: Yellow, MultiSpot and MicroPulse[®]

Yellow Laser - 577nm Wavelength:

Presented as the most versatile wavelength in the scientific literature, the 577nm wavelength offers the following benefits:

- Excellent combined absorption by both melanin and oxyhemoglobin (peak absorption of oxyhemoglobin) [1,2]
- Very little absorption by macular xanthophyll pigments [1,2]
- Excellent penetration through cataracts and hazy media [1,2]



• MultiSpot Mode:

Characterized by the use of short pulse durations from 10 to 20 ms, the MultiSpot treatment mode offers many advantages over classical treatments:

- Less heat diffusion to the retina and choroid, less damage to the retinal nerve fiber layer [3,4]
- Comfortable treatment better tolerated by patients [5]
- Treatment time reduction (full PRP in 1 session) [6]

The MultiSpot treatment mode can be delivered through 5 customizable patterns for better adaptation to the treatment site. Single spot - Squares - Circles - Triple arcs - Macular grid

MicroPulse® Mode:

Composed of a train of extremely short microsecond pulses, this subthreshold treatment mode (non-visible laser impacts) is a tissue sparing treatment mode avoiding scarring [7,8] while treating Diabetic Macular Edema [7] and Central Serous Chorioretinopathy [8].

The MicroPulse $\ensuremath{^{\circledast}}$ treatment mode can be delivered through 3 customizable patterns for better adaptation to the treatment site.

PATTERN SELECTION TYPE	DELIVERED LASER SPOTS	
SINGLE SPOT	۰	
SQUARES		
CIRCLES		
TRIPLE ARCS		
MACULAR GRID		



Easyret[®]: Fully Integrated Design

Easyret[®] offers a fully integrated design in which the laser and the slit lamp are optimally integrated for better ergonomics and ease of use. It is available with two types of slit lamps to adapt to the operator's working habits.

Both versions feature:

- 1 an integrated laser adapter featuring a continuously variable parfocal zoom
- 2 a large touch screen interface to monitor the treatment settings
- 3 a click wheel to control the patterns settings
- 4 an intelligent footswitch to control the laser settings

Zeiss Type

Haag Streit Type

Easyret[®]: Enhanced Software User Interface

3 Treatment Modes / 3 Dedicated Targets:

Easyret[®] provides an intuitive and versatile software user interface simplifying the use of the Single Spot, MultiSpot and MicroPulse[®] treatment modes. Built in a clinically oriented manner, Easyret[®] offers 3 different types of visible targets (aiming beam) facilitating the implementation of the laser spots with each treatment mode.







Treatment Report: ●

After treatment, a detailed report can be generated in PDF format. It can be printed and / or saved on a dedicated USB key.

	First n Last n Gende Date c Proces Date:	ame: ame: t Number: r: f birth: lure:	John Doe 12458012 M 12/02/1970 PRP 24/05/2016	Eye: O
Treatment Mode:	Multispot	T		
Contact lens:	V / SuperQuad (2x)		18	
Spot size(umi:	Median: 200µm Range: 200 - 200µm		(.	
Exposure time (s):	Median: 0.01 s Range: 0.01 - 0.01 s		-	
Power (mW):	Median: 500 mW Range: 400 - 600 mW			
Patterns used:	Squares		1	
Number of spots:	500		K	
Fluence (J/cm ²):	Median: 43.17 J/cm ² Range: 34.54 - 51.81 J/c	m'	()×	
Notes:			~	>
Jack W		ļ		

16:24 15/09/2016 Eas	syRet	MultiS	pot mode 🔛		Guantel medica
Report	treatment settings			41	9990.
patient	procedure : PRP			(.	
John	MultiSpot	V/SuperQuad		-	
Doe gender 201 12 1970 / Marine	laser settin median : 200µ min : 200µ max : 200µ	ngs median: 0.01s min : 0.01s max : 0.01s	median: 500mW min : 400mW max : 600mW	6	·
05 00 12458012	patterns used. Square number of spots: 500			$\langle \rangle$	\searrow
Jack W	notes :			B	SAVE
15 09 2016					

A WORLD FIRST TO MARKET IN PHOTOCOAGULATION: ElbaTM Laser Cavity FIBER LASER CAVITY

Easyret®: Technology

Fiber Laser Technology:

Stemming from the ELBA[™] technology, developed and successfully marketed by Quantel Laser for various applications, this new generation of laser cavity provides unique advantages:

- An excellent beam quality ensuring a homogeneous laser spot profile (top hat)
- The emission of pure 577nm yellow wavelength
- An extended lifetime thanks to a simple, compact and reliable technology

The fiber laser technology is a variation of the standard solid-state laser technology.

In fiber lasers, the lasing medium is composed of an optical fiber doped with rare earth elements and optically pumped by diodes.



• Resume® Technology:

Easyret[®] features the proprietary Resume[®] function offering more flexibility to the operator in the implementation of the MultiSpot and the MicroPulse[®] treatment modes.

- In MultiSpot mode, the pattern delivery can be paused and resumed (the previous shots are remembered)
- In MicroPulse® mode, the treatment is combined with the pattern scan mode and delivered semi-automatically in several steps

MicroPulse® Technology:

In addition to SingleSpot and MultiSpot delivery modes, Easyret $\ensuremath{^{\circledast}}$ features the MicroPulse $\ensuremath{^{\circledast}}$ technology.

The use of this subthreshold treatment mode converts each laser shot into a "pulse envelope" composed of a customizable train of short pulses, allowing the operator to fully adjust the pulse duration (On Time) and interval (Off Time). This fined-tuned control of the laser treatment settings ensures a precise management of the thermal effect on the targeted tissues.





eas/ret ::

TECHNICAL SPECIFICATIONS

EASYRET SPECIFICATIONS

Laser source: Wavelength: Power at tissue up to: Pulse duration: Single spot modes: MicroPulse® Duty Cycle:

s: single, rep Cycle: adjustable

Patterns: MultiSpot mode: MicroPulse® mode: Resume® function

Spot size: Single spot: Pattern:

Integrated slit lamps: Zeiss type: Haag Streit type:

Aiming beam:

Size:

Weight: Cooling: Power requirements:

yellow 577nm 2000 mW 10 ms to continuous single, repeat, painting, continuous adjustable duty cycle: 5% to 100%

fiber laser technology

single spot, squares, circles, triple arc, macular grid single spot, squares, customizable macular grid

continuously variable from 50 µm to 400 µm continuously variable from 100 µm to 400 µm

Quantel Medical (CSO 980 5x) Quantel Medical (CSO 990 5x)

635 - 650nm

174.2 (H) x 97 (W) x 72 (D) cm 68.58" (H) x 38.19" (W) x 28.35" (D) 64.80 kg - 142.86 lbs by Peltier effect 100 to 240 VAC, 350 VA, 50/60 Hz

OPTIONAL FEATURES

Second laser port

Laser indirect ophthalmoscopes: Heine Omega 500 or Keeler Vantage Plus

Specifications are subject to change without notice. @2016. Quantel Medical, Easyret and Resume Function are registered trademarks of Quantel Medical. Etba is a trademark of Quantel. All rights reserved. MicroPulse® is a registered trademark of Iridex.

A product by Quantel Medical, France



Headquarters

Quantel Medical 11, rue du Bois Joli - CS40015 63808 Cournon d'Auvergne - FRANCE Tel: +33 (0)4 73 745 745 Fax: +33 (0)4 73 745 700 E-mail: contact@guantel-medical.fr

North America

0 0

1- Vogel M, Schäfer FP, Stuke M, Müller K, Theuring S, Morawietz A.

Graefes Arch Clin Exp Ophthalmol. 1989;227:277-280. 2- Mainster MA. Wavelength selection in macular photocoagulation.

Diabetic Retinopathy. Korean J Ophthalmol 2014;28(3):220-225.

in Proliferative Diabetic. Arch ophthalmol, 2010, 128 : 525-533 7- Yoon Hyung Kwon, Dong Kyu Lee, Oh Woong Kwon

www.quantel-medical.com

Tissue optics, thermal effects, and laser systems.

Ophthalmology.1986;93:952-958.

3- Jain A, Blumenkranz MS, Paulus Y et al.

Laser Photocoagulation in Patients with

Hussainy S AI, Dodson PM and Gibson JM

Korean J Ophthalmol 2014;28(5):379-385

Chorioretinopathy. Ophthalmologica 2015 DOI: 10.1159/000439600

Scholz P, Ersoy L, Boon CJF, Fauser S

with reduced exposure times. Eye (2008) 22, 96–99 6- Muqit MM, Marcellino GR, Henson DB et al.

Arch Ophthalmol. 2008; 126:78-85.

Yi-Ryeung Park, Donghyun Jee.

for diabetic macular edema.

coagulations

4-

5-

Animal, experiments for the determination of an optimal wavelength for retinal

Effect of pulse duration on size and character of the lesion in retinal photocoagulation.

Changes in Peripapillary Retinal Nerve Fiber Layer Thickness after Pattern Scanning

Pain response and follow-up of patients undergoing panretinal laser photocoagulation

Single-Session vs Multiple-Session Pattern Scanning Laser Panretinal Photocoagulation

The short-term efficacy of subthreshold micropulse yellow (577-nm) laser photocoagulation

Subthreshold Micropulse Laser (577 nm). Treatment in Chronic Central Serous

Quantel USA 601 Haggerty Lane Bozeman, MT 59715 – USA Tel: +1 877 782 6835 Fax: +1 406 522 2005 E-mail: info@quantelmedical.com

Representative Offices Thailand, Chiang Mai Brazil, Rio De Janeiro



1 **E I**SO 9001-13485